



# Coil Ties

## 2-Strut and 4-Strut designs, in standard and heavy-duty capacities, for job-built plywood forming


- Designed for medium and heavy concrete forming applications.
- Resistance-welded coil tie for reliable performance and safety.
- Optional cones, waterseals, galvanizing or custom specification on request.



2-Strut Coil Tie



4-Strut Coil Tie



2-Strut ConeFast  
Coil Tie  
(Cones sold separately)



4-Strut ConeFast  
Coil Tie  
(Cones sold separately)

Coil Ties			
Type/Size	Bolt Diameter	Struts	Safe Working Load*
Standard 1/2"	1/2"	2	4,500 lbs
Heavy-Duty 1/2"	1/2"	2	6,750 lbs
Standard 3/4"	3/4"	2	6,750 lbs
Heavy-Duty 3/4"	3/4"	2	9,000 lbs
Standard 1"	1"	2	13,500 lbs
Heavy-Duty 1/2"	1/2"	4	9,000 lbs
Heavy-Duty 3/4"	3/4"	4	18,000 lbs
Heavy-Duty 1"	1"	4	27,000 lbs
Heavy-Duty 1-1/4"	1-1/4"	4	37,000 lbs

\* Safe Working Load based on 2:1 Safety Factor in 3,000 psi concrete.