



## Plastic Bar Supports



## Table of Contents

PLASTIC SLAB BOLSTER.....	3
PRO TILT CHAIR.....	4
PRO CHAIR.....	4
TILT CHAIR.....	5
HIGH CHAIR.....	5
PLASTIC SAND PLATE.....	5
ON GRADE SQUARE CHAIR.....	6
SLAB-ON-GRADE CASTLE CHAIR.....	6
PRO PAVING CHAIR.....	7
SPACE WHEEL FOR MESH.....	8
SPACE WHEEL FOR REBAR.....	8
ADJUSTABLE PLASTIC SCREED.....	9

## SureBuilt Locations

**California - (714) 871-9434**  
130 N. Gilbert St  
Fullerton, CA 92833

**Florida - (813) 606-5727**  
9225 Bay Plaza Blvd Ste 407  
Tampa, FL 33619

**Florida - (813) 606-5727**  
4000 North Combee Rd  
Lakeland, FL 33805

**Illinois - (708) 493-9569**  
2525 Armitage Avenue  
Melrose Park, IL 60160

**Illinois - (630) 231-6900**  
1200 N Prince Crossing Rd  
West Chicago, IL 60185

**Illinois - (877) 533-5842**  
645 Airport Rd  
Centralia, IL 62801

**Indiana - (812) 248-9750**  
305 S New Albany St  
Sellersburg, IN 47172


**Mississippi - (601) 855-7242**  
576 Church Rd  
Madison, MS 39110

**North Carolina - (919) 553-7124**  
13308 US-70 BUS  
Clayton, NC 27520

**Pennsylvania - (888) 734-5561**  
525 E Mifflin St  
Lebanon, PA 17046

**Tennessee - (423) 942-4090**  
150 Hickman Rd  
Jasper, TN 37347

**Texas - (713) 413-4134**  
301 W. Foxshire Ln  
Houston, TX 77053



Available in 5' assemblies of (2) 2-½ foot lengths.

## Plastic Slab Bolster

Designed to be extremely strong and stable while also working well in architectural applications, the bolster takes the industry to the next level. Save time and money by placing easily and connecting securely. The form-guard leg tip design prevents costly damage to forms.

Make it easy to place your rebar instead of dealing with inadequate supports.

Plastic Slab Bolster*			
Part No.	Description	Qty/Pack	Qty/Pit
SBSB34APHD	3/4" Heavy Duty Plastic Slab Bolster	250	5,000
SBSB1APHD	1" Heavy Duty Plastic Slab Bolster	225	4,500
SBSB114APHD	1-1/4" Heavy Duty Plastic Slab Bolster	225	4,500
SBSB112APHD	1-1/2" Heavy Duty Plastic Slab Bolster	200	4,000
SBSB134APHD	1-3/4" Heavy Duty Plastic Slab Bolster	150	3,000
SBSB2APHD	2" Heavy Duty Plastic Slab Bolster	150	3,000
SBSB214APHD	2-1/4" Heavy Duty Plastic Slab Bolster	125	2,500
SBSB212APHD	2-1/2" Heavy Duty Plastic Slab Bolster	100	2,000
SBSB234APHD	2-3/4" Heavy Duty Plastic Slab Bolster	100	2,000
SBSB3APHD	3" Heavy Duty Plastic Slab Bolster	100	2,000

\* Superior material and great load resistance

## Pro Tilt Chair

Pro Tilt Chairs range in size from 3/4" to 3", in quarter inch increments. Each size has two cover heights to reduce potential inventory storage requirements. The extra wide footprint contributes to a more sturdy and heavy duty chair that stays in place better than lighter weight alternatives. It also provides a best case scenario for use on form-work, mud slabs, tilt-slabs, and works with up #11 mesh bar.

Pro Tilt Chair				
Part No.	Description	Qty/Box	Boxes/Pit	Qty/Pit
SBPPTC075/100	3/4" - 1" Pro Tilt Chair	700	16	11,200
SBPPTC125/150	1-1/4" - 1-1/2" Pro Tilt Chair	500	16	8,000
SBPPTC175/200	1-3/4" - 2" Pro Tilt Chair	300	16	4,800
SBPPTC225/250	2-1/4" - 2-1/2" Pro Tilt Chair	250	16	4,000
SBPPTC275/300	2-3/4" - 3" Pro Tilt Chair	200	16	3,200

\* Superior material and great load resistance



*Heavy duty support directly under the cradle*



## Pro Chair

The Pro Chair delivers value and performance through stability and easy-to-read height markers. Available in 1/2" cover height increments, chair selection is simple and the industry-leading stack efficiency reduces costs. Better stacking means the chairs are less costly to store, less costly to ship and less costly to place in the field.

Pro Chairs straddle lower mats, carry heavy loads, are easy to tie, and have a minimal footprint for tilt-up and architectural applications, while protecting costly form work.

Pro Chair*				
Part No.	Description	Qty/Box	Boxes/Pit	Qty/Pit
SBPPC100/150	1" - 1-1/2" Pro Chair	500	48	24,000
SBPPC125/175	1-1/4" - 1-3/4" Pro Chair	500	48	24,000
SBPPC200/250	2" - 2-1/2" Pro Chair	250	60	15,000
SBPPC225/275	2-1/4" - 2-3/4" Pro Chair	250	60	15,000
SBPPC300/350	3" - 3-1/2" Pro Chair	300	64	19,200
SBPPC325/375	3-1/4" - 3-3/4" Pro Chair	300	64	19,200
SBPPC400/450	4" - 4-1/2" Pro Chair	200	60	12,000
SBPPC425/475	4-1/4" - 4-3/4" Pro Chair	200	60	12,000
SBPPC500/550	5" - 5-1/2" Pro Chair	200	60	12,000
SBPPC525/575	5-1/4" - 5-3/4" Pro Chair	200	60	12,000
SBPPC600/650	6" - 6-1/2" Pro Chair	100	72	7,200
SBPPC625/675	6-1/4" - 6-3/4" Pro Chair	100	72	7,200
SBPPC700/750	7" - 7-1/2" Pro Chair	100	72	7,200
SBPPC725/775	7-1/4" - 7-3/4" Pro Chair	100	72	7,200

\* Superior material and great load resistance




*Pro Chair*

## Tilt Chair

Tilt Chairs have a wide, stable base that works well in architectural applications and carries necessary loads and protect wood forms. Large leg spacing for easy tying to rebar, maximum concrete flow and consolidation.

Tilt Chair				
Part No.	Description	Qty/Box	Boxes/Pit	Qty/Pit
SBPTC325/350	3-1/4" - 3-1/2" Tilt Chair	200	16	3,200
SBPTC375/400	3-3/4" - 4" Tilt Chair	200	16	3,200
SBPTC425/450	3-1/4" - 3-1/2" Tilt Chair	150	16	2,400
SBPTC475/500	4-3/4" - 5" Tilt Chair	150	16	2,400
SBPTC525/550	3-1/4" - 3-1/2" Tilt Chair	120	16	1,920
SBPTC575/600	5-3/4" - 6" Tilt Chair	100	16	1,600

\* Superior material and great load resistance



Large, easy-to-read height markers

## High Chair

Designed to straddle a lower rebar mat, these chairs have a wide, stable base with a footprint that is designed to work well in architectural applications, yet able to carry very heavy loads and protect wood forms.


Plastic High Chair*				
Part No.	Description	Qty/Box	Boxes/Pit	Qty/Pit
SBHCHAIR800/825	8" - 8-1/4" High Chair	120	16	1,920
SBHCHAIR850/875	8-1/2" - 8-3/4" High Chair	105	16	1,680
SBHCHAIR800/825	9" - 9-1/4" High Chair	90	16	1,440
SBHCHAIR800/825	9-1/2" - 9-3/4" High Chair	75	16	1,200
SBHCHAIR800/825	10" - 10-1/4" High Chair	75	16	1,200
SBHCHAIR1050/1075	10-1/2" - 10-3/4" High Chair	75	12	900
SBHCHAIR1100/1125	11" - 11-1/4" High Chair	50	12	600
SBHCHAIR1150/1175	11-1/2" - 11-3/4" High Chair	50	12	600
SBHCHAIR1200/1225	12" - 12 1/4" High Chair	50	12	600
SBHCHAIR1250	12-1/2" High Chair	50	12	600
SBHCHAIR1275	12-3/4" High Chair	50	12	600
SBHCHAIR1300	13" High Chair	50	12	600
SBHCHAIR1325	13-1/4" High Chair	50	12	600
SBHCHAIR1350	13-1/2" High Chair	50	12	600
SBHCHAIR1375	13-3/4" High Chair	50	12	600
SBHCHAIR1400	14" High Chair	30	12	360
SBSAND-PLATE	Sand Plate**	200	16	3,200

\* Superior material and great load resistance, above 12-1/4" it is single cover height per chair

\*\* Sand Plate attaches easily and securely on all sizes of High Chairs and Tilt Chairs to convert to an on-grade application that will ensure proper chair and rebar placement.



For on-grade applications, use sand plate



*Wide, stable base for maximum consolidation*


## On Grade Square Chair

Each On Grade Square Concrete Chair can cover two cover heights; for example, 1-1/2" and 1-3/4" is a single chair; 2" and 2-1/4" is a single chair, on up to 6" and 6-1/4".

These plastic chairs are designed to carry heavy loads in demanding on-grade applications. They also have large spacing between the legs for easy tying to rebar and easy-to-read height markers.

On Grade Square Chair*				
Part No.	Description	Qty/Box	Boxes/Pit	Qty/Pit
SBOGRADE150	1-1/2" - 1-3/4" Plastic Square On Grade Chair	300	24	7,200
SBOGRADE200	2" - 2 1/4" Plastic Square On Grade Chair	400	16	6,400
SBOGRADE250	2 1/2" - 2 3/4" Plastic Square On Grade Chair	350	16	5,600
SBOGRADE300	3" - 3 1/4" Plastic Square On Grade Chair	288	16	4,608
SBOGRADE350	3 1/2" - 3 3/4" Plastic Square On Grade Chair	250	16	4,000
SBOGRADE400	4" - 4 1/4" Plastic Square On Grade Chair	200	16	3,200
SBOGRADE450	4 1/2" - 4 3/4" Plastic Square On Grade Chair	125	24	3,000
SBOGRADE500	5" - 5 1/4" Plastic Square On Grade Chair	100	24	2,400
SBOGRADE550	5 1/2" - 5 3/4" Plastic Square On Grade Chair	225	16	3,600
SBOGRADE600	6" - 6 1/4" Plastic Square On Grade Chair	200	16	3,200

\* Superior material and great load resistance




*Wide, stable base for maximum consolidation*

## Slab-On-Grade Castle Chair

The Slab-On-Grade Castle Chair supports rebar and mesh at the proper elevation during concrete placement.

The Slab-On-Grade Castle Chair meets the requirements to qualify as a CRSI Class 1 Bar Support and meets CRSI requirements per table 3-4.

Slab-On-Grade Castle Chair			
Part No.	Description	Weight/Box	Box Qty
SBPCC1-112	1" - 1-1/2" Plastic Slab-On-Grade Castle Chair	36	500
SBPCC2-212	2" - 2-1/2" Plastic Slab-On-Grade Castle Chair	39	500
SBPCC3-312	3" - 3-1/2" Plastic Slab-On-Grade Castle Chair	37	200
SBPCC4-412	4" - 4-1/2" Plastic Slab-On-Grade Castle Chair	39	250



## Plastic Pro Paving Chair

High Chairs range from 3" to 14" in height. From 3" to 12-1/4" in height, each chair has two cover heights. Above 12-1/4" they have a single cover height per chair.

*Wide, stable base for maximum consolidation*

Plastic High Chair*	
Part No.	Description
SBPPPC150	1-1/2" Plastic Pro Paving Chair
SBPPPC175	1-3/4" Plastic Pro Paving Chair
SBPPPC200	2" Plastic Pro Paving Chair
SBPPPC225	2-1/4" Plastic Pro Paving Chair
SBPPPC250	2-1/2" Plastic Pro Paving Chair
SBPPPC275	2-3/4" Plastic Pro Paving Chair
SBPPPC300	3" Plastic Pro Paving Chair
SBPPPC325	3-1/4" Plastic Pro Paving Chair
SBPPPC350	3-1/2" Plastic Pro Paving Chair
SBPPPC375	3-3/4" Plastic Pro Paving Chair
SBPPPC400	4" Plastic Pro Paving Chair
SBPPPC425	4-1/4" Plastic Pro Paving Chair
SBPPPC450	4-1/2" Plastic Pro Paving Chair
SBPPPC475	4-3/4" Plastic Pro Paving Chair
SBPPPC500	5" Plastic Pro Paving Chair
SBPPPC525	5-1/4" Plastic Pro Paving Chair
SBPPPC550	5-1/2" Plastic Pro Paving Chair
SBPPPC575	5-3/4" Plastic Pro Paving Chair
SBPPPC600	6" Plastic Pro Paving Chair
SBPPPC625	6-1/4" Plastic Pro Paving Chair
SBPPPC650	6-1/2" Plastic Pro Paving Chair
SBPPPC675	6-3/4" Plastic Pro Paving Chair
SBPPPC700	7" Plastic Pro Paving Chair
SBPPPC725	7-1/4" Plastic Pro Paving Chair
SBPPPC750	7-1/2" Plastic Pro Paving Chair
SBPPPC775	7-3/4" Plastic Pro Paving Chair
SBPPPC800	8" Plastic Pro Paving Chair

\* Superior material and great load resistance





*Secure connection for mesh and bar*


## Plastic Space Wheel for Mesh

The Space Wheels for Mesh range in size from 3/4" cover to 3" cover. The unique design allows for use of the space wheels on typical rebar sizes as well as #2 mesh setting us apart from the competition.

Simply push the space wheel onto the reinforcing steel for a secure compression fit and in the case of #2 or #3 mesh or bar, lock the tabs in place for a secure connection.

Plastic Space Wheel for Mesh*				
Part No.	Description	Qty/Box	Boxes/Plt	Qty/Plt
SBDS075HD	3/4" Plastic Space Wheel for #2 Mesh to #6 Bar	1150	24	27,600
SBDS100HD	1" Plastic Space Wheel for #2 Mesh to #6 Bar	500	24	12,000
SBDS125HD	1-1/4" Plastic Space Wheel for #2 Mesh to #6 Bar	375	24	9,000
SBDS150HD	1-1/2" Plastic Space Wheel for #2 Mesh to #6 Bar	300	16	4,800
SBDS200HD	2" Plastic Space Wheel for #2 Mesh to #6 Bar	350	16	5,600
SBDS250HD	2-1/2" Plastic Space Wheel for #2 Mesh to #6 Bar	175	16	2,800
SBDS300HD	3" Plastic Space Wheel for #2 Mesh to #6 Bar	200	16	3,200

\* Superior material and great load resistance



*Secure connection for multiple bar sizes*

## Plastic Space Wheel for Rebar

The Space Wheel for Rebar can be used for spacing a caisson in a bridge structure or rebar in your precast facility. The wheel attaches securely and will be in the right place when the concrete is poured. The improved zip tie design makes it easy to install the wheels and ensures that once installed, they are there to stay.

Plastic Space Wheel for Rebar*			
Part No.	Description	Qty/Box	Box/Plt
SBLW150	1-1/2" HD Plastic Locking Wheel for #3 TO #6 Bar	200	3,200
SBLW200	2" HD Plastic Locking Wheel for #3 TO #6 Bar	200	3,200
SBLW250	2-1/2" HD Plastic Locking Wheel for #3 TO #6 Bar	75	1,200
SBLW300	3" HD Plastic Locking Wheel for #3 TO #6 Bar	50	800


\* Superior material and great load resistance



## Adjustable Plastic Screed Chair

Designed to support a lumber or pipe screed in a wide variety of applications. Users can cut a 1" O.D PVC pipe to the desired length and then fine tune the exact screed height with the durable and easy-to-adjust threaded ring supporting the screed receiver.

Available as a complete set (base, adjustable ring, and receiver) or base only. The receiver is 2-3/8" wide on the outside, 1-1/2" wide on the inside, and has an adjustable range of approximately 1-1/2".



*Strong and stable Adj. Screed Chair Set*

Adjustable Plastic Screed Chair*				
Part No.	Description	Qty/Box	Boxes/Pkt	Qty/Pkt
SBAPASCS	Adjustable Plastic Screed Chair Set (3-pieces)	100	24	2,400
SBAPASCB	Base for Adjustable Plastic Screed Chair**	200	24	4,800

\* 300 lb. safe working load in compression

\*\* The base measures 4-3/4" diagonally and is 1-1/4" in height

## Line Card



### Bar Support \*

Slab Bolster  
Slab Bolster Upper  
Individual High Chair  
Continuous High Chair  
Continuous High Chair Upper  
Beam Bolster

### Bridge Deck Forming

Bridge Overhang Bracket \*  
Curing Blankets  
Exterior Hangers \*  
Exterior Half Hangers \*  
Interior Hangers \*  
Interior Half Hanger \*  
Adjustable Joist Hanger

### Coil Rod \*

1/2", 3/4", 1" Coil Rod  
1-1/4" Coil Rod  
15mm, 20mm Coil Rod

### Coil Ties \*

1/2", 3/4", 1" Coil Ties  
1-1/4" Coil Ties

### Concrete Hoppers

Hoppers  
Elephant Trunk  
Tremie Pipe  
Steel Collar

### Floor Systems \*

Dowel Basket  
Taper Dowel  
Steel Edge Nosing  
VaporStop & Tape

### Form Liners \*

HIPS - Single Use  
ABS - Up to 10 Uses  
PE - Up to 40 - 50 Uses  
PPE - Up to 100+ Uses

### Form Ties \*

HD Loop Ties  
HD Gang Loop Ties

### Form Ties \*

X-Flat Ties  
Base Ties  
Aluminum Form Ties

### Heavy Forming \*

SOLO Clamp Form 1500PSF  
SureCurve Radius Form  
Sure Beam  
Articulated Waler  
Steel Circular Column Form  
Taper Ties  
She-Bolts  
Inner Units  
Euro Taper Ties  
Euro She-Bolts  
Flat Washers

### GFRP Reinforcement Bar \*

#2-#11 Reinforcement Bar

### Metal Rib \*

Expanded Metal Mesh

### Modular Braces \*

Type 6-5/8"  
Type 8-5/8"

### Pipe Braces \*

### Plywood Forming \*

Coil Ties  
Pencil Rod and Clamps  
Self-Centering Ties  
Snap Ties

### Precast

Anchor Rail HD  
Coil Inserts \*  
Column Wall Edge Connector \*  
Ferrule Inserts \*  
Helical Ground Anchors \*  
Ring and Cable Lifters  
Slant Anchor \*  
Straight Leg Anchor \*  
Wall Base Connector \*  
Wire / FRP Truss \*

### Rebar Safety Caps

### Rebar Splicing \*

Groutec  
Unitec

### Self-Riser System \*

### Shoring \*

Cross Braces  
Frames  
Post Shores  
Screw Jacks

### Snap Ties \*

### SPAN-X Beams \*

### Staybox Rebar Splicing \*

### Steel Stakes \*

3/4" Stakes  
7/8" Stakes

### Stud Rail DSA & DSAR \*

Thermal Break

### SurePly™ Handset Forming \*

Panels and Fillers  
Hardware  
HD Loop Ties  
X-Flat Ties  
Birch Plywood

### Tilt-Up

Brace Inserts \*  
Helical Ground Anchors \*  
Lifting Hardware  
ProLift Inserts \*  
Slant Anchor \*  
SureLift (SL) Inserts \*  
Edge Form Brackets  
Construction Adhesive \*  
FRP Truss / Connectors \*  
XL Lift Inserts \*

### Walers \*

Butt Plate  
Double Channel

\* Products are Made in the USA or available to be made in the USA

**SureBuilt**  
Concrete Forms & Accessories

2525 Armitage Ave  
Melrose Park, IL 60160  
708-493-9569  
[www.surebuilt-usa.com](http://www.surebuilt-usa.com)

